

## Automatic grinder AW 160

### Datasheet

fresh meat model

<b>type code</b>	408
<b>Electrical data</b>	
operating voltage (standard)	400V/50Hz
rated power	32,5 kW
obligatory pre-fusing at customer site <sup>1)</sup>	80 A gL/gG
<b>rated power motors</b>	
rated power worm drive	17,5/30 kW
feeder drive	1,3/1,8 kW
<b>rotation speed</b>	
meat worm	180/360 min <sup>-1</sup>
feeder worm	10/20 min <sup>-1</sup>
<b>throughput grinding</b>	up to 134 kg/min
<b>capacity of hopper</b>	360 l
<b>water pressure at flush connection</b>	max. 1 bar
<b>weight<sup>5)</sup></b>	
without elevator	1650 kg
incl. hydraulic elevator	2020 kg
lift loader	300 kg

## Automatic grinder AW 160

### Datasheet

fresh and frozen meat model

<b>rated power motors</b>	
meat worm drive	17,5/30 kW
feeder drive	1,3/2/2,4 kW
<b>rotation speed</b>	
meat worm	140/280 min <sup>-1</sup>
feeder worm	5/8/16,5 min <sup>-1</sup>
<b>throughput</b>	
fresh meat	up to 103 kg/min
frozen meat <sup>*)</sup>	up to 27 kg/min

<sup>\*)</sup> frozen meat cutted up to pieces as big as a fist

## Automatic grinder AW 160, Doner type

### Datasheet

<b>type code</b>	408
<b>Electrical data</b>	
operating voltage (standard)	400V/50Hz
rated power	37,5 kW
obligatory pre-fusing at customer site <sup>1)</sup>	80 A gL/gG
<b>rated power motors</b>	
meat worm drive	21/35 kW
feeder drive	1,3/2/2,4 kW
<b>rotation speed</b>	
meat worm	140/280 min <sup>-1</sup>
feeder worm	5/8/16,5 min <sup>-1</sup>
<b>throughput</b>	
fresh meat	up to 103 kg/min
frozen meat <sup>*)</sup>	up to 27 kg/min
<b>capacity of hopper</b>	530 l
<b>water pressure</b> at flush connection	max. 1 bar
<b>weight</b> <sup>5)</sup>	
without elevator	1650 kg
incl. hydraulic elevator	2020 kg
lift loader	300 kg

<sup>\*)</sup> frozen meat cutted up to pieces as big as a fist